

EcoVia™ WD Wettable Dust

---

## 1. PRODUCT IDENTIFICATION

### 1.1. Product Identifiers

Product name : EcoVia™ WD Wettable Dust

### 1.2. Other Means of Identification

Product synonyms : none

### 1.3. Recommended Uses/Restrictions to Use

Uses : FIFRA 25(b) exempt “minimum risk” pesticide product for the control of various pest species per label

Restrictions : See product label for details

### 1.4. Supplier Details

Company : Rockwell Labs Ltd  
1257 Bedford Avenue  
North Kansas City, MO 64116-4308  
USA

Telephone : 1 816-283-3167

### 1.5. Emergency Contact

Outside normal business hours

Emergency Phone # : 1 800-424-9300 (USA & Canada)  
1 703-527-3887 (Outside USA & Canada)

---

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of Substance or Mixture

Flammable Solid: Category 2

Skin Irritant: Category 2

Serious Eye Damage/Irritation: Category 1

Acute Aquatic Toxicity: Category 3

### 2.2. GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H228

Flammable solid

H303

May be harmful if swallowed

H315

Causes skin irritation

**EcoVia™ WD Wettable Dust**

H318 Causes serious eye damage  
 H402 Harmful to aquatic life

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P264 Wash exposed skin thoroughly after handling.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P321 Specific treatment (see supplemental first aid instructions on this label).  
 P370 + P378 In case of fire: use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P332 + P313 If skin irritation occurs: Get medical advice/attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P305 + P351 + P338, P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor or seek emergency medical treatment.  
 P501 Dispose of contents in accordance with local/state/federal regulations.

**2.3. Other hazards which do not result in classification**  
 none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**3.1. Substances**

Not applicable

**3.2. Mixtures**

Hazardous component(s) or components of note:

Chemical Identity	Contains (% w/w)	CAS-No.	Hazard Classification
Thyme Oil	10	8007-46-3	Skin irritant (Cat. 2) Serious eye damage (Cat. 1) Acute aquatic Tox. (Cat. 2) Flammable solid (Cat. 2)

### 4. FIRST AID MEASURES

**4.1. Description of first aid measures**

**General advice**

Consult a physician or poison control center. Provide this safety data sheet to medical personnel. Move out of hazardous areas.

**If inhaled**

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

EcoVia™ WD Wettable Dust

**In case of skin contact**

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**In case of eye contact**

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If swallowed**

Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available

**4.3. Indication of any immediate medical attention and special treatment needed, if necessary**

None known

---

**5. FIRE FIGHTING MEASURES**

**5.1. Extinguishing media**

Suitable extinguishing media: use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2. Specific hazards arising from the chemical**

Oxides of carbon, silicon, nitrogen, and sulfur.

**5.3. Special protective equipment and precautions for fire fighters**

Wear self contained breathing apparatus for firefighting.

Additional information: none.

**5.4. Further information**

Avoid release of material to storm drains and open bodies of water.

---

**6. ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with spilled product and contaminated surfaces. Evacuate personnel to safe areas during emergencies. For safe handling instructions see section 7. For proper PPE see section 8.

**6.2. Environmental precautions**

Prevent further leakage or spillage if safe to do so. Product should not be applied directly to surface water.

**6.3. Methods and materials for containment and cleaning up**

Sweep/wipe up any spilled material and dispose of according to instructions in section 13. Wash contaminated surfaces with soap and water.

---

**7. HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Handle in accordance with good industrial hygiene practices. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if product gets inside. Wash thoroughly and put on clean clothing. Remove PPE after handling this product. Wash the outside of the gloves before removing.

For additional precautions see section 2.2

## EcoVia™ WD Wettable Dust

**7.2. Conditions for safe storage, including any incompatibilities**

Store tightly sealed in original container in dry cool place. Do not store where children or animals may gain access.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**8.1. Control parameters**

Components with workplace parameters

Component	CAS-No.	Value	Control parameters	Basis
Amorphous silicon dioxide (silica gel)	7631-86-9	TWA	6 mg/m <sup>3</sup>	NIOSH REL
		TWA	80 mg/m <sup>3</sup> /‰SiO <sub>2</sub>	OSHA PEL

**8.2. Appropriate engineering controls**

Ensure relevant engineering controls are employed to prevent exceeding threshold values for the listed control parameters in section 8.1.

**8.3. Individual protection measures, such as personal protective equipment**

In normal use and handling conditions refer to the product label for required PPE. In all other cases the following recommendations would apply.

**Eye/face protection**

Safety glasses or other similar eye protection conforming to ANSI Z87.1 standards recommended when handling product.

**Skin protection**

Chemical resistant nitrile rubber or similarly compatible gloves recommended when handling product. Dispose of contaminated gloves after use in accordance with applicable local and state regulations. Wash exposed skin with soap and water immediately. Wash all contaminated clothing prior to reuse.

**Respiratory protection**

Full-face respirator recommended when risk assessment show need for air-purifying respirators.

NIOSH approved respirators recommended when handling material with the following airborne concentrations:

Up to 30 mg/m<sup>3</sup>:

(APF = 5) Any quarter-mask respirator.

Up to 60 mg/m<sup>3</sup>:

(APF = 10) Any particulate respirator equipped with an N95, R95, or P95 filter (including N95, R95, and P95 filtering facepieces) except quarter-mask respirators. The following filters may also be used: N99, R99, P99, N100, R100, P100.

(APF = 10) Any supplied-air respirator

Up to 150 mg/m<sup>3</sup>:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode.

(APF = 25) Any powered, air-purifying respirator with a high-efficiency particulate filter.

Up to 300 mg/m<sup>3</sup>:

(APF = 50) Any air-purifying, full-facepiece respirator with an N100, R100, or P100 filter.

(APF = 50) Any supplied-air respirator that has a tight-fitting facepiece and is operated in a continuous-flow mode.

**EcoVia™ WD Wettable Dust**

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and a high-efficiency particulate filter

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

Up to 3000 mg/m<sup>3</sup>:

(APF = 1000) Any supplied-air respirator operated in a pressure-demand or other positive-pressure mode

**Thermal hazards**

None known

**9. PHYSICAL AND CHEMICAL PROPERTIES**
**9.1. Information on basic physical and chemical properties**

Appearance;	White powder
Odor;	Thyme
Odor threshold;	No data available
pH;	No data available
Melting point/freezing point;	No data available
Initial boiling point and boiling range;	No data available
Flash point;	No data available
Evaporation rate;	No data available
Flammability (solid, gas);	This substance or mixture is a category 2 flammable solid
Upper/lower flammability or explosive limits;	No data available
Vapor pressure;	No data available
Vapor density;	No data available
Relative density;	0.22 g/ml
Solubility;	No data available
Partition coefficient: n-octanol/water;	No data available
Auto-ignition temperature;	No data available
Decomposition temperature;	No data available
Viscosity;	No data available

**9.2. Additional Information**

No data available

EcoVia™ WD Wettable Dust

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

### 10.5. Incompatible materials

Strong oxidizing agents, Strong reducing agents.

### 10.6. Hazardous decomposition products

Other decomposition products – no data available

In the event of a fire: see section 5

---

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute Toxicity Estimate (ATE)

LD50 Oral – Rat – >2400 mg/kg

LD50 Dermal – Rat – > 5000 mg/kg

LD50 Inhalation – no data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/irritation

No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: Category for silica, amorphous (7631-86-9) applies to silicas that may contain crystalline silica. The silica in this product is synthetic and does not contain crystalline silica. IARC: Category 3.

ACGIH: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

NTP: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

OSHA: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity – single exposure

No data available.

EcoVia™ WD Wettable Dust

**Specific target organ toxicity – repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2. Other information**

No data available

---

**12. ECOLOGICAL INFORMATION**

**12.1. Toxicity Estimate**

Toxicity to fish LC50 – Pimephales promelas (fathead minnow) – 59.84 mg/l (96 hr)  
Toxicity to daphnia EC50 – Daphnia magna (Water flea) – 24.51 mg/l (96 hr)  
and other aquatic  
invertebrates

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

**12.4. Mobility in soil**

No data available

**12.5. Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS**

**13.1. Disposal Methods.**

The best disposal method is to use the entire quantity per label directions. If it is necessary to dispose of unused material then follow the label instructions and relevant local, state and federal waste disposal guidelines.

Product Disposal:

Do not contaminate water, food or feed by storage or disposal.

Packaging Disposal:

If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

See section 8 for proper PPE and precautionary handling measures.

---

**14. TRANSPORT INFORMATION**

**DOT**

UN number: 1325      Class: 4.1      Packing Group: III  
Proper shipping name: Flammable solids, organic, n.o.s. (contains Thyme oil)  
Reportable Quantity (RQ): n/a

**IMDG**

UN number: 1325      Class: 4.1      Packing Group: III  
Proper shipping name: Flammable solids, organic, n.o.s. (contains Thyme oil)

**IATA**

EcoVia™ WD Wettable Dust

UN number: 1325      Class: 4.1      Packing Group: III  
Proper shipping name: Flammable solids, organic, n.o.s. (contains Thyme oil)

---

## 15. REGULATORY INFORMATION

This material is a FIFRA 25(b) Exempt pesticide product that is not registered by the Environmental Protection Agency but is subject to certain labeling requirements under various state pesticide laws. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

KEEP OUT OF THE REACH OF CHILDREN  
CAUTION

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Immediate (Acute) Health Hazard, Fire Hazard

### California Proposition 65 Components

This product does not contain any chemicals known to the state of California to cause cancer, birth defects, or reproductive harm.

### TSCA

All components of this product are listed, exempted, or excluded from listing on the U.S. Toxic Substances Control Act chemical substance inventory.

---

## 16. OTHER INFORMATION

### Acronyms and abbreviations used

LD50	Lethal Dose, 50%
OECD	Organization for Economic Cooperation and Development
IARC	International Agency for Research on Cancer
ACGIH	American Conference of Industrial Hygienists
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
DOT	Department of Transportation
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
SARA	Superfund Amendments and Reauthorization Act
TSCA	Toxic Substances Control Act
CAS-No.	Chemical Abstract Services - Number
PPE	Personal Protective Equipment
HMIS	Hazardous Materials Identification System



EcoVia™ WD Wettable Dust

NFPA	National Fire Protection Association
PPM	Parts Per Million
ANSI	American National Standards Institute
TWA	Time Weighted Average

**Hazard Rating System Crossover**

HMIS Rating

Health Hazard:	2
Flammability:	3
Reactivity:	0

NFPA Rating

Health Hazard:	2
Flammability:	3
Reactivity:	0

**Preparation information**

Prepared by:	Rockwell Labs Ltd
Version:	1.3
Revision Date:	October 29, 2020
Reason for revision:	Minor formatting changes

Notice to Reader: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Rockwell Labs Ltd provides no warranties, express or implied, and assumes no responsibility for the accuracy and completeness of the data contained herein. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are trademarks of Rockwell Labs Ltd.